

# INDEX MAPS.

## T. 10 N. R. 8 E. 2<sup>nd</sup> Mer.

	134		134		134		133		133		133	
136	6	157	5	152	4	148	3	144	2	141	1	132
	157		157		151		148		144		140	
136	7	156	8	151	9	147	10	144	11	140	12	132
	156		156		151		147		143		140	
136	18	155	17	150	16	147	15	143	14	139	13	132
	155		154		150		146		143		139	
135	19	154	20	150	21	146	22	142	23	139	24	131
	154		153		149		146		142		138	
135	30	153	29	149	28	145	27	142	26	138	25	131
	153		152		149		145		141		138	
135	31	152	32	148	33	145	34	141	35	137	36	131
	152		150		148		145		141		137	
	130		130		130		129		129		129	

## T. 11 N. R. 8 E. 2<sup>nd</sup> Mer.

	165		164		164		164		163		163	
167	6	188	5	182	4	179	3	175	2	171	1	162
	188		187		182		178		174		171	
166	7	187	8	182	9	178	10	174	11	170	12	162
	187		186		181		178		174		170	
166	18	186	17	181	16	177	15	173	14	170	13	162
	185		185		181		177		173		169	
166	19	185	20	180	21	177	22	173	23	169	24	161
	185		184		180		176		172		169	
166	30	184	29	180	28	176	27	172	26	168	25	161
	184		183		179		176		172		168	
165	31	183	32	179	33	175	34	171	35	168	36	161
	160		160		159		159		159		159	

The figures on the lines refer to the page.

ch. lth

South Boundary.

West On S. boundary of Sec. 36

19.14 a Brook 5 lth. wide Course S. W.

26.15 a Do. 5 " " " N. E.

40.00 Set q. Sec. post, from which

a Beech 14 m. dia. bray N 85° W 14 lth. dist. of

a Do. 20 " " " S 43° E 29 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Beech 22 m. dia. bray S 27° W 7 lth. dist. of

a Do. 4 " " " N 30° E 8 " "

Over good farming land, Beech, Sugar, Ash  
underg. Spruce &c.

West On S. boundary of Sec. 35

40.00 Set q. Sec. post, from which

a Beech 13 m. dia. bray N 37° W 9 lth. dist. of

a Do. 20 " " " N 61° E 29 " "

70.47 a Branch 6 lth. wide Course N.

76.45 a Do. 4 " " " N.

80.00 Set post Cor. to Sec. 34 & 35, from which

a Beech 20 m. dia. bray S 49° E 4 lth. dist. of

a Do. 6 " " " N 10° E 21 " "

Over good farming land, Beech, Sugar Ash  
&c. underg. Spruce &c.

West On S. boundary of Sec. 34

14.42 a Brook 15 lth. wide Course N.

40.00 Set q. Sec. post, from which

a Beech 7 m. dia. bray N 61° W 21 lth. dist. of

a Do. 7 " " " S 82° E 3 " "

80.00 Set post Cor. to Sec. 33 & 34, from which

a Beech 24 m. dia. bray S 76° E 5 lth. dist. of

a Do. 8 " " " N 39° W 5 " "

Over good land, timber Beech, Ash, Hickory  
&c. underg. Spruce &c.

Mt. R & E. 2<sup>d</sup>. Mer. Indiana

ch. lks

Met On S. boundary of Sec. 33

40.00 Set gr. Sec. post, from which

a Beech 9 m. dir. bray N 70 E 25 lks. dist. of

a Sugar 9 " " " N 67 W 17 " "

41.26 at Brook 3 lks. wide Course N.

80.00 Set post Cor. to Sec. 32 of 33, from which

a Lycamore 50 m. dir. bray N 81 E 23 lks. dist. of

a Hackberry 14 " " " S 55 W 16 " "

Over good farming land, Beech, Sugar, Ash &c.  
underg<sup>d</sup>. Spice

Met On S. boundary of Sec. 32

17.00 a Creek 70 lks. wide Course S. W.

40.00 Set gr. Sec. post, from which

a Beech — m. dir. bray N 29 W 13 lks. dist. of

a Sugar 30 " " " S 25 W 17 " "

80.00 Set post Cor. to Sec. 31 of 32, from which

a Beech 20 m. dir. bray N 80 E 10 lks. dist. of

a Ho. 15 " " " S 60 W 27 " "

Over good farming land Beech, Ash &c.  
underg<sup>d</sup>. Spice

Met On S. boundary of Sec. 31

32.23 a Brook 3 lks. wide Course N.

35.83 a Creek 25 " " " S. W.

40.00 Set gr. Sec. post, from which

a Beech 18 m. dir. bray N 44 W 3 lks. dist. of

a Ho 12 " " " N 52 E 20 " "

74.40 intersected N. boundary 450 lks. S. of temp<sup>l</sup>.

post— Set post Cor. to Township 9 of 10 North,

Range 7 of 8 East, from which

an Elm 24 m. dir. bray N 5 E 30 lks. dist. of

an Ash 12 " " " S 21 W 24 " "

Over good farming land, Beech, Ash &c.  
underg<sup>d</sup>. Spice &c.

Ch. 1<sup>st</sup>

East Boundary

North On E. boundary of Sec. 36

22.40 a Branch 8<sup>th</sup>. wide Corner E.

24.62 a Beech 20 in. dia.

32.65 a Branch 10<sup>th</sup>. wide Corner S. E.

40.00 Set of Sec. post, from which

a Beech 24 in. dia. bray N 44 E 5<sup>th</sup>. dist. of

a do 30 " " " N 44 W 15 " "

46.74 an Ash 30 " "

75.15 a Hickory 27 " "

80.00 Set post Cor. to Sec. 25 & 36, from which

an Ash 18 in. dia. bray N 7 E 22<sup>th</sup>. dist. of

a Hickory 18 " " " N 32 E 28 " "

Over level land, Beech, ash, Poplar &c.

underg<sup>th</sup>. Spruce

North On E. boundary of Sec. 25

24.30 an Elm 12 in. dia.

40.00 Set of Sec. post, from which

a Beech 9 in. dia. bray N 18 E 2<sup>th</sup>. dist. of

an Maple 18 " " " N 54 E 4 " "

63.40 an Ash 12 " "

80.00 Set post Cor. to Sec. 24 & 25, from which

a Beech 9 in. dia. bray N 47 W 13<sup>th</sup>. dist. of

a do. 30 " " " N 59 E 16 " "

Over level land, Beech, Hickory &c.

underg<sup>th</sup>. Spruce &c. Soil good.

North On E. boundary of Sec. 24

7.03 a Branch 8<sup>th</sup>. wide Corner S. E.

20.21 a Beech 10 in. dia.

40.00 Set of Sec. post, from which

a Beech 20 in. dia. bray N 36 W 9<sup>th</sup>. dist. of

a Spr. Ash 12 " " " N 54 E 32 " "

65.29 a Beech 9 " "

73.40 a Poplar 36 " "



132 Mt. P & E. 2<sup>d</sup> Mer. Indiana

ch. 2<sup>th</sup>  
80.00 Set post Cor. to Sec. 13 & 24, from which  
a Beech 12 mi. dist. by N 67° W 12 lns. dist. &  
a Do. 14 " " " N 72° E 27 " "  
Over level land, Beech, Poplar, Ash &c.  
underg<sup>th</sup> Spruce, Soil good.

---

North On E. boundary of Sec. 13

13.05 a Poplar 36 mi. dist.

15.55 a Do 48 " "

26.50 a Branch 12 lns. wide Corner W

40.00 Set of Sec. post, from which  
at Blue Ash 6 mi. dist. by N 77° W 9 lns. dist. &  
at Beech 27 " " " N 23° E 15 " "

63.40 a Beech 20 " "

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Beech 24 mi. dist. by N 62° E 29 lns. dist. &  
a Do. 22 " " " N 42° W 19 " "  
Over level land, Poplar, Beech, Walnut &c.  
underg<sup>th</sup> Spruce, Soil good

---

North On E. boundary of Sec. 12

2.12 a Beech 30 mi. dist.

16.05 a Poplar 60 " "

40.00 Set of Sec. post, from which  
at Beech 6 mi. dist. by N 74° E 2 lns. dist. &  
a Do. 6 " " " N 58° W 14 " "

57.03 a Do 15 " "

80.00 Set post Cor. to Sec. 1 & 12, from which  
a Beech 15 mi. dist. by N 34° W 22 lns. dist. &  
a Do. 18 " " " N 1° E 11 " "  
Over level land, timber Beech, Poplar,  
Hackberry &c. underg<sup>th</sup> Spruce, prairie Soil good

---

North On E. boundary of Sec. 1

7.38 a Beech 18 mi. dist.

9.70 a Branch 20 lns. wide Corner W.

133

West R8E. 2<sup>d</sup> Mer. Indiana

ch. lks  
 40.00 Let gr. Sec. post, from which  
     a Beech 20 mi. dist. bray N 57 W 32 lks. dist. of  
     a do. 20 " " " N 84 E 4 " "  
 52.75 a Beech 20 " " " " " " " "  
 80.00 Let temp. County S. 10, N. 12, R. 8, E. 9.  
     June 14<sup>th</sup> 1819

---

North Boundary var. 7° 30' E.  
 West On S. boundary of Sec. 36, T11N. R8E.  
 40.00 Let gr. Sec. post, from which  
     a Beech 24 mi. dist. bray N 31 E 4 lks. dist. of  
     a do. 8 " " " N 12 E 6 " "  
 50.00 a Branch 8 lks. wide Course N.E.  
 80.00 Let post Cor. to Sec. 35 & 36, T11N. R8E, from which  
     a Beech 20 mi. dist. bray N 20 W 23 lks. dist. of  
     a do. 20 " " " N 89 W 27 " "  
 Level land rich soil, timber Beech, Poplar  
 Sugar &c. underg<sup>d</sup>. Spruce &c.

---

West On S. boundary of Sec. 35, T11N. R8E.  
 40.00 Let gr. Sec. post, from which  
     an Oak 18 mi. dist. N 31 — 13 lks. dist. of  
     an Ash 24 " " " South 11 " "  
 80.00 Let post Cor. to Sec. 34 & 35, T11N. R8E, from which  
     a Beech 10 mi. dist. bray N 18 E 4 lks. dist. of  
     a do. — " " " N 1 E 22 " "  
 Land &c. as above 2<sup>d</sup>. rate

---

West On S. boundary of Sec. 34, T11N. R8E.  
 22.50 a Branch 12 lks. wide Course N.E.  
 23.00 an Ash 20 mi. dist.  
 40.00 Let gr. Sec. post, from which  
     a Beech 24 mi. dist. bray N 25 E 8 lks. dist. of  
     a Sugar 8 " " " N 14 W 24 " "  
 52.50 a Creek 100 lks. wide Course S.  
 80.00 Let post Cor. to Sec. 33 & 34, T11N. R8E, from which

T11 N. R8 E. 2<sup>d</sup>. Mer Indiana

ch. 1/4

a Beech 24 in. dia. - bray N 17 E 8 1/4 hr. dist. of  
 a do. 15 " " " N 25 E 24 " "  
 Land &c. Same as on the last mile

Met On S. boundary of Sec. 33, T11 N. R8 E

40.00 Let of Sec. post, from which

a Beech 24 in. dia. - bray N 42 E 1 hr. dist. of

a do. 18 " " " N 50 E " "

76.00 a Beech 20 " "

80.00 Let post cor. to Sec. 32 of 33, T11 N. R8 E, from which

a Beech 10 in. dia. - bray N 12 E 1 hr. dist

a do. 12 " " " N 60 E " "

Land timber &c. Same as last mile

Met On S. boundary of Sec 32, T11 N. R8 E

14.50 a Branch 10 hr. wide Course N.

40.00 Let of Sec. post, from which

a Beech 24 in. dia. - bray N 11 E 15 hr. dist. of

a Hickory 10 " " " N 61 W 24 " "

76.00 a Creek 60 hr. wide Course S.

80.00 Let post cor. to Sec. 31 of 32, T11 N. R8 E, from which

a Beech 24 in. dia. - bray N 13 E. 5 hr. dist. of

a do. 10 " " " N 10 W 27 " "

Land &c. Same as on the last mile

Met On S. boundary of Sec. 31, T11 N. R8 E.

36.59 a Beech 18 in. dia.

40.00 Let of Sec. post, from which

a Beech 18 in. dia. - bray N 7 E 25 hr. dist. of

a do. 4 " " " N 38 W 15 " "

46.71 a Poplar 36 in. dia.

56.50 a Branch 20 hr. wide Course S.

63.50 a do. 4 " " " S.E.

66.62 intersected W. boundary 112 hr. N. of temp.  
 post - Let post cor. to Township 10 of 11 N.  
 Range 7 of 8 E. from which



135

T10 N. R8 E. 2<sup>d</sup> Mer. Indiana  
 ch. lth  
 a Beech 30 m. dia. bray N23°W24 lth. dist. of  
 a do. 15 " " " S49°W15 " "  
 Over land level 2<sup>d</sup> rate, timber Beech, Poplar  
 Ash, Sugar, undug<sup>th</sup> Spruce, Beech &c.  
 June 21<sup>st</sup>, 1879

---

var 6° 30' E.

North On E. boundary of Sec. 36, T10 N. R7 E  
 2.50 a Beech 18 m. dia.  
 40.00 Set of Sec. post, from which  
 a \_\_\_\_\_ 10 m. dia. bray S50°E 5 lth. dist. of  
 a Sugar 10 " " " N29°E 14 " "  
 40.39 an Elm 24 " "  
 80.00 Set post cor. to Sec. 25 & 36, T10 N. R7 E, from which  
 a Beech 30 m. dia. bray N10°W1 lth. dist. of  
 a do. 19 " " " S47°E 9 " "  
 Over good farming land, Beech, Ash &c.  
 undug<sup>th</sup> Spruce &c

---

North On E. boundary of Sec. 25, T10 N. R7 E.  
 2.92 a Beech 22 m. dia.  
 15.50 a do. 24 " "  
 25.50 a Brook 15 lth. wide Course N.  
 40.00 Set of Sec. post, from which  
 a Beech 15 m. dia. bray S6°W12 lth. dist. of  
 a do. 18 " " " N63°E 10 " "  
 75.15 a do. 30 " "  
 80.00 Set post cor. to Sec. 24 & 25, T10 N. R7 E, from which  
 a Sugar 24 m. dia. bray S23°W19 lth. dist. of  
 a do. 18 " " " S43°E 15 " "  
 Over good farming land, timber Beech, Sugar &c.  
 undug<sup>th</sup> Spruce.

---

North On E. boundary of Sec. 24, T10 N. R7 E  
 9.06 a Brook 10 lth. wide Course N.W.  
 25.86 an Elm 30 m. dia.



T10 N. R8 E. 2<sup>d</sup>. Mer. Indianach<sup>2</sup> 1/2 m

35.50 a Brook 125 lms. wide Course S.W.

40.00 Set of Sec. post, from which  
an Ironwood 8 in. dia. - bray N64 E 11 lms. dist. of  
a Do. 8 " " " N61 W 13 " "

41.50 a Creek 150 lms. wide Course S.E.

76.50 a Do 150 " " " S.W.

80.00 Set post cor. to Sec. 13 & 24, T10 N. R7 E. from which  
a Beech 24 in. dia. - bray N36 E 16 lms. dist. of  
a Do. 12 " " " N71 W 19 " "  
Over good farming land timber as before

North On E. boundary of Sec. 13, T10 N. R7 E.

18.00 a Branch 3 lms. wide Course E.

27.50 a Sugar 18 in. dia.

40.00 Set of Sec. post, from which  
a Beech 20 in. dia. - bray N11 E 16 lms. dist. of  
a Do. 20 " " " N35 W 9 " "

68.20 a Beech 14 " "

80.00 Set post cor. to Sec. 12 & 13, T10 N. R7 E. from which  
a Beech 20 in. dia. - bray N60 E 28 lms. dist. of  
a Do. 22 " " " N42 E 30 " "  
Over good farming land, timber Beech, Sugar  
Poplar &c. underg<sup>d</sup> Spruce

North On E. boundary of Sec. 12, T10 N. R7 E.

24.50 a Beech 18 in. dia.

40.00 Set of Sec. post, from which  
a Beech 12 in. dia. - bray N29 W 19 lms. dist. of  
a Do. 8 " " " N10 E 12 " "

62.76 a Beech 12 " "

80.00 Set post cor. to Sec. 1 & 12, T10 N. R7 E. from which  
a — 18 in. dia. - bray N88 E 8 lms. dist. of  
a Do. 13 " " " N51 W 16 " "  
(description of land &c. Omitted)

North On E. boundary of Sec. 1, T10 N. R7 E.

137

110 N. N. E. 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> 17.00 a Beech 20 mi. dist.  
 19.00 a Creek 70 lms. wide Course S. W.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Beech 12 mi. dist. bear N 49° W 10 lms. dist. of  
 a do. 14 " " " North 30 " "  
 81.12 Let post Cor. to Township 10 of N. North, Range  
 7 of 8 East, from which  
 a Beech 30 mi. dist. bear N 23° W 24 lms. dist. of  
 a do. 15 " " " N 49° W 15 " "  
 Our good farming land, timber Beech, Ash  
 &c. underg<sup>rd</sup>. Spruce. June 14<sup>th</sup>. 1819  
 Surveyed By James A. M<sup>c</sup>. Donald, D.S.  
 For John M<sup>c</sup>. Donald, D.S. Com.

Subdivision.

We Richard Talbott and Ferdinand  
 Strickland, do solemnly swear in the  
 presence of Almighty God, that in all mea-  
 surements, in which we shall be employed  
 as Chainmen in the public Survey, we will  
 faithfully and impartially execute the duties  
 of the trust reposed in us to the best of  
 our skill and abilities, to help us God.

Richard C. Talbott

Ferdinand Strickland

Sworn and subscribed before me this 22<sup>d</sup>  
 day of September 1819, W. Bently, D.S.

North Between Secs. 35 & 36

10.75 an Ash 18 mi. dist.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 an Ash 36 mi. dist. bear N 10° W 15 lms. dist. of  
 a Beech 3 " " " N 3° W 25 " "  
 66.50 a Beech 12 " "  
 80.00 Let post Cor. to Secs. 25, 26, 35 & 36, from which  
 a Beech 10 mi. dist. bear N 5° W 10 lms. dist. of

138 T10 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana  
ch. lky at Beech 8 in. dia. bray 140 W 7 lks. dist. of  
Sand rolling 2<sup>nd</sup> rate, Beech, Poplar, W. Oak  
underg<sup>th</sup> Spice, greenbrier, &c

---

East On Rand<sup>m</sup> between Sec. 25 & 36  
40.00 Set temp<sup>y</sup>. of Sec. post  
81.00 Intersected the E. boundary 80 lks. S. of post  
Land level 2<sup>nd</sup> rate, Ash, Beech, Poplar,  
Sugar, underg<sup>th</sup> Spice & Pawpaw

---

West Corrected between Sec. 25 & 36  
40.50 Set of Sec. post, at average dist. from which  
a Beech 5 in. dia. bray 128 E 15 lks. dist. of  
a do. 2 " " " N 9 E 4 " "  
81.00 to Sec. Corner. Sept. 22. 1819

---

North Between Sec. 25 & 26,  
5.60 at Beech 10 in. dia.  
40.00 Set of Sec. post, from which  
a Beech 6 in. dia. bray 148 E 6 lks. dist. of  
a do. 14 " " " N 62 W 8 " "  
48.50 a do. 4 " " "  
80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which  
a Beech 24 in. dia. bray N 22 W 3 lks. dist. of  
a N. Beech 3 " " " N 13 E 14 " "  
Land rolling 2<sup>nd</sup> rate Ash, Beech, Poplar  
&c. underg<sup>th</sup> Spice

---

East On Rand<sup>m</sup> between Sec. 24 & 25  
40.00 Set temp<sup>y</sup>. of Sec. post  
81.30 Intersected the E. boundary 200 lks. S. of post  
Land rolling 2<sup>nd</sup> rate, Ash, Beech, Poplar &c  
underg<sup>th</sup> Spice &c

---

West Corrected between Sec. 24 & 25  
40.65 Set of Sec. post at average dist. from which



139

West R & E. 2<sup>d</sup> Mer. Indiana  
ch. lth  
a Beech 17 mi. dist. by N 61 W 15 lth. dist. of  
a Do. 18 " " " N 70 E 8 " "  
81.30 to Sec. Corner.

---

North Between Sec. 23 & 24  
6.05 a Beech 12 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Hickory 4 mi. dist. by N 88 W 4 lth. dist. of  
a Beech 15 " " " N 39 E 21 " "  
48.25 a W. Oak 12 " "  
80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a Beech 27 mi. dist. by S 27 E 5 lth. dist. of  
a Do. 20 " " " N 12 E 15 " "  
Land level 2<sup>d</sup> rate Ash, Poplar, beech &c.  
underg<sup>th</sup>. Spruce

---

East On Rand. between Sec. 13 & 24  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
81.35 Intersected E. boundary 195 lth. S. of post  
Land level 2<sup>d</sup> rate Ash, Beech, W. Oak, ug<sup>th</sup>. Spruce

---

West Connected between Sec. 13 & 24  
40.67 Set gr. Sec. post at average dist. from which  
a Beech 2 mi. dist. by N 25 E 7 lth. dist. of  
a Do. 10 " " " S 14 W 18 " "  
81.35 to Sec Corner

---

North Between Sec. 13 & 14  
5.75 a Beech 30 mi. dist.  
9.00 a Creek 15 lth. wide Course S. W.  
40.00 Set gr. Sec. post, from which  
a Beech 12 mi. dist. by N 36 W 20 lth. dist. of  
a Do. 10 " " " S 31 W 18 " "  
61.50 a Creek 18 lth. wide Course S. W.  
62.50 a Beech 14 mi. dist.  
80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

140

M. N. P. & E. J. Mer. Indiana

Ch. P. Lk.

a Beech 10 in. dia. bray S 21° W 6 lks. dist. of  
a do. 12 " " N 17° W 30 "  
Land level 2<sup>d</sup> rate, Ash, Poplar, Beech, Sugar  
underg<sup>th</sup> Spruce

---

East On Rand<sup>m</sup> between Sec. 12 of 13

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

81.50 Intersected the East boundary 200 lks. S. of post  
Land level 1<sup>st</sup> & 3<sup>d</sup> rate last 1/2 1<sup>st</sup> rate, Ash,  
Poplar, Sugar, Beech, underg<sup>th</sup> Spruce &c

---

West Corrected between Sec. 12 of 13

40.75 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Beech 15 in. dia. bray N 31° W 15 lks. dist. of  
a do 15 " " " " N 41° E 11 " "

81.50 to Sec. Corner

---

North Between Sec. 11 of 12

16.50 a Beech 7 in. dia.

40.00 Set g<sup>r</sup>. Sec. post from which  
a Beech 14 in. dia. bray S 61° W 10 lks. dist. of  
a do. 6 " " " " S 37° E 20 " "

55.60 an Ash 40 " "

80.00 Set post Cor. to Sec. 1, 2, 11 of 12, from which  
a Beech 30 in. dia. bray S 84° W 4 lks. dist. of  
a do. 6 " " " " N 74° E 4 " "  
Land level rich, Ash, Beech, Poplar &c.  
underg<sup>th</sup> Spruce.

---

East On Rand<sup>m</sup> between Sec. 1 of 12

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

82.00 Intersected the E. boundary 250 lks. S. of post  
Land level 1<sup>st</sup> rate, Ash, Beech, Hackberry  
underg<sup>th</sup> Spruce &c.

---

West Corrected between Sec. 1 of 12

141

St. N. R. & E. 2<sup>d</sup>. Mer. Indiana  
ch. l. h.  
41.00 Set q. Sec. post, at average dist. from which  
a Beech 20 in. dia. bray 181 W 25 th. dist. of  
a Do. 10 " " " N 76 E 20 " "  
82.00 to Sec. Corner. September 23<sup>rd</sup> 1819

---

North Between Sec. 1 & 2  
3.00 an Ash 30 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 30 in. dia. bray 167 W 15 th. dist. of  
a Do. 24 " " " N 40 E 18 " "  
83.00 Intersected the N. boundary 400 th. W. of post  
Set post Cor. to Sec. 1 & 2, from which  
a Beech 20 in. dia. bray N 43 E 8 th. dist. of  
a Do. 30 " " " S 5 E 15 " "  
Land level rich, Ash, Poplar, Beech, undg. <sup>th</sup> Spruce

---

North Between Sec. 34 & 35  
5.75 a Sugar 30 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bray 118 E 18 th. dist. of  
a Do. 6 " " " S 36 W 3 " "  
68.25 a Do. 18 " " " "  
80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
a Sugar 6 in. dia. bray 110 W 5 th. dist. of  
a Do. 7 " " " N 23 E 2 " "  
Land rolling 2<sup>d</sup>. rate, Ash, Beech, Sugar &c.  
undg. <sup>th</sup> Spruce

---

East Out Can. 8<sup>th</sup> between Sec. 26 & 35  
40.00 Set temp. q. Sec. post  
80.00 Intersected the N & S. line 60 th. S. of post  
Land rolling 2<sup>d</sup>. rate, Beech, Poplar, Sugar  
undg. <sup>th</sup> Spruce

---

West Corrected between Sec. 26 & 35  
40.00 Set q. Sec. post at average dist. from which



142

## S.W. 1/4 Sec. 27 Mer. Indiana

ch. lth  
 a Beech 24 in. dia. bear, 114 E 10 lth. dist. of  
 a do. 6 " " " N 27 W 17 " "  
 80.00 to Sec. Corner

---

## North Between Sec. 26 &amp; 27

8.30 a Creek 15 lth. wide Corner N.  
 10.25 a Lycamore 36 in. dia.  
 40.00 Set of Sec. post from which  
 a Beech 36 in. dia. bear, 187 N. 6 lth. dist. of  
 a do 30 " " " N 7 E 30 " "  
 44.00 an Ash 12 " "  
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
 an Ash 7 in. dia. bear, 120 N 4 lth. dist. of  
 a Sugar 3 " " " N 81 E 7 "  
 Land rolling 2<sup>nd</sup> rate, timber Ash, Beech,  
 Sugar, Poplar. underg<sup>th</sup> Spruce.

---

East On Rand<sup>m</sup>. between Sec. 23 & 26

40.00 Set temp<sup>y</sup>. of Sec. post  
 59.50 a Branch 6 lth. wide Corner S.  
 79.50 Intersected the N & S line 100 lth. S. of post  
 Land rolling 2<sup>nd</sup> rate, Ash, Beech, undg<sup>th</sup> Spruce

---

## West Connected between Sec. 23 &amp; 26

39.75 Set of Sec. post, at average dist. from which  
 an Ash 10 in. dia. bear, N 60 W 6 lth. dist. of  
 a Sugar 5 " " " N 36 W 7 " "  
 79.50 to Sec. Corner. Sept. 24<sup>th</sup>. 1819

---

## North Between Sec. 22 &amp; 23

8.50 an Ash 28 in. dia.  
 40.00 Set of Sec. post, from which  
 a Sugar 10 in. dia. bear, N 70 E 8 lth. dist. of  
 a do. 7 " " " N 80 W 25 " "  
 43.50 a Beech 10 " "  
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which

143  
Mt. R & E. T<sup>n</sup>. Mer. Indiana  
ch. M<sub>1</sub>

a Hickory 18 mi. dist. bear S 80 E 5 l<sup>h</sup>. dist. of  
a Beech 3 " " " N 84 W 3 " "  
Land rolling rich, Ash, Sugar, Beech, Poplar  
underg<sup>th</sup>. Spice.

---

East On Rand<sup>m</sup>. between Sec. 14 & 23

11.25 a Creek 10 l<sup>h</sup>. wide Course S.

40.00 Let temp<sup>y</sup>. of. Sec. post

79.70 Intersected the N of S. line 70 l<sup>h</sup>. S. of post  
Land rolling 2<sup>d</sup>. rate, timber Beech, Sugar  
Poplar. underg<sup>th</sup>. Spice

---

West Corrected between Sec. 14 & 23

39.85 Set of. Sec. of. Sec. post at average dist. from which  
a Beech 36 mi. dist. bear S 36 W 5 l<sup>h</sup>. dist. of  
a No. — " " " N 11 E 15 " "

79.70 to Sec. Corner.

---

North Between Sec. 14 & 15

34.50 a Beech 10 mi. dist.

40.00 Set of. Sec. post, from which  
a Beech 2 mi. dist. bear S 15 W 5 l<sup>h</sup>. dist. of  
a No. 6 " " " N 12 W 3 " "

50.50 a No 28 " "

80.00 Let post Cor. to Sec. 10, 11, 14 & 15, from which  
a Beech 5 mi. dist. bear S 72 E 4 l<sup>h</sup>. dist. of  
a No. 3 " " " N 64 W 11 " "  
Land level 2<sup>d</sup>. rate, Ash, Beech, underg<sup>th</sup>. Spice

---

East On Rand<sup>m</sup>. between Sec. 11 & 14

40.00 Let temp<sup>y</sup>. of. Sec. post

79.50 Intersected the N of S. line 10 l<sup>h</sup>. N. of post  
Land level 2<sup>d</sup>. rate Beech &c. underg<sup>th</sup>. Spice

---

West Corrected between Sec. 11 & 14

39.75 Set of. Sec. post, from which

144 *W. N. R & E. 2<sup>d</sup> Mer. Indiana*  
*ch. 1<sup>st</sup> 1/4* a Beech 40 in. dia. beam S 56 E 3 1/2 m. dist. of  
a do. 12 " " " S 60 W 15 " "  
79.50 to Sec. Corner.

---

*North Between Sec. 10 & 11*  
7.00 a Beech 24 in. dia.  
40.00 At gr. Sec. post, from which  
a Beech 6 in. dia. beam S 67 E 12 1/2 m. dist. of  
a do. 30 " " " N 73 W 10 " "  
58.25 an Ash 18 " "  
80.00 At post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 6 in. dia. beam S 25 E 12 1/2 m. dist. of  
a do. 24 " " " N 87 W 5 " "  
Sand level 2<sup>d</sup> rate, Ash, Beech, Sugar, &c.  
underg<sup>th</sup> Spruce.

---

*East On Land<sup>m</sup>. between Sec. 2 & 11*  
40.00 Left temp<sup>y</sup>. gr. Sec. post  
79.00 Intersected the N & S. line at the post  
Sand level 2<sup>d</sup> rate, Beech, Ash &c. undg<sup>th</sup> Spruce

---

*West Corrected between Sec. 2 & 11*  
39.50 At gr. Sec. post at average dist. from which  
a Beech 30 in. dia. beam S 32 W 18 m. dist. of  
a do. 7 " " " N 6 E 7 " "  
79.00 to Sec. Corner

---

*North Between Sec. 2 & 3*  
4.50 a Beech 24 in. dia.  
40.00 At gr. Sec. post, from which  
a Beech 15 in. dia. beam S 36 E 15 m. dist. of  
a do. 20 " " " N 5 E 3 " "  
83.10 Intersected the N. boundary 250 m. N. of post  
At post Cor. to Sec. 2 & 3, from which  
a Beech 15 in. dia. beam S 78 E 14 m. dist. of  
a do. 20 " " " N 30 W 4 " "



145

W. N. R. & E. D. Mer. Indiana  
ch. 2<sup>th</sup>,  
Sand level 2<sup>nd</sup> rate, Beech, Poplar & Ash.  
underg<sup>g</sup>. Spruce. September 25<sup>th</sup> 1819

---

North Between Sec. 33 & 34

4.50 a Beech 18 in. diam.

40.00 Set of Sec. post, from which  
a Sugar 6 in. diam. beam N 4 E 5 lns. dist. of  
a Do. 3 " " " S 5 W 5 " "

61.00 a Beech 30 " "

68.00 a Creek 10 lns. wide Course S. W.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Sugar 7 in. diam. beam S 85 W 6 lns. dist. of  
a Do. 10 " " " S 75 E 15 " "  
Land hilly 3<sup>rd</sup> rate, timber Beech, Sugar.  
underg<sup>g</sup>. Spruce &c.

---

East On Land<sup>g</sup> between Sec. 27 & 34

40.00 Set temp<sup>l</sup> of Sec. post

46.80 a Spring Ranch 4 lns. wide Course N.

80.50 Intersected the N of S. line 100 lns. S. of post  
Land hilly 3<sup>rd</sup> rate, Beech & Sugar, underg<sup>g</sup>. Spruce &c.

---

West Connected between Sec. 27 & 34

40.25 Set of Sec. post at average dist. from which  
a Beech 7 in. diam. beam N 73 E 10 lns. dist. of  
a Buckeye 10 " " " S 83 W 18 " "

80.50 to Sec. Corner.

---

North Between Sec. 27 & 28

4.00 a Beech 30 in. diam.

33.10 a Creek 20 lns. wide Course S. W. Current moderate

39.00 a Do 15 " " " S 12 E " "

40.00 Set of Sec. post, from which  
a Hackberry 5 in. diam. beam S 8 E 12 lns. dist. of  
a Box Elder 6 " " " N 8 W 6 " "

43.60 a Creek 15 lns. wide Course S. W. Current moderate

146 T10 N R 8 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

70.60 a Beech 30 mi. dist. from

80.00 Let post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 10 mi. dist. from N 88° W 5 lks. dist. of  
a Sugar 30 " " " N 63° E 25 " "  
Land hilly 1<sup>st</sup> half mile 3<sup>rd</sup> rate - last 1/2 m.  
2<sup>nd</sup> rate, Beech, Sugar &c. underg<sup>th</sup> Spruce

---

East On Rand<sup>m</sup> between Sec. 22 & 27

40.00 Let temp<sup>y</sup>. g<sup>r</sup>. Sec. post

41.00 a Beech 15 lks. wide Course S. W. Current moderate

79.75 Intersected the N & S. line 100 lks. S. of post  
Land rolling 2<sup>nd</sup> rate, timber Beech, Sugar,  
&c. underg<sup>th</sup> Spruce.

---

West Connected between Sec. 22 & 27

39.87 Let g<sup>r</sup>. Sec. post at average dist. from which  
a Sugar 1 1/2 mi. dist. from N 49° E 14 lks. dist. of  
a W. Walnut 8 " " " N 32° W 27 " "

79.75 to Sec. Corner.

---

North Between Sec. 21 & 22

9.00 an Ash 15 mi. dist.

40.00 Let g<sup>r</sup>. Sec. post, from which

a Beech 12 mi. dist. from N 23° E 20 lks. dist. of

a Sugar 2 " " " N 42° E 3 " "

52.65 a Sugar 20 " "

80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which  
a Beech 19 mi. dist. from N 10° W 5 lks. dist. of

a Do. 4 " " " N 59° W 12 " "

Land level 2<sup>nd</sup> rate Beech, Ash &c. underg<sup>th</sup> Spruce &c.

---

East On Rand<sup>m</sup> between Sec. 15 & 22

40.00 Let temp<sup>y</sup>. g<sup>r</sup>. Sec. post

79.40 Intersected the N & S. line 75 lks. S. of post

Land level 2<sup>nd</sup> rate, Beech, Ash &c. underg<sup>th</sup> Spruce &c

---

147

T10 N. R28 E. 2<sup>nd</sup>. Mer. Indiana  
ch. l. l. m.  
West Corrected between Sec. 15 & 22  
39.70 Set q. Sec. post at average dist. from which  
a Beech 6 mi. dist. by N28 E 12 l. m. dist. of  
an Ash 30 " " " S50 E 15 " "  
79.40 to Sec. Corner.

---

North Between Sec. 15 & 16  
9.60 a Beech 18 mi. dist.  
40.00 Set q. Sec. post, from which  
a Beech 3 mi. dist. by S36 W 14 l. m. dist. of  
a Sugar 6 " " " N80 E 3 " "  
48.00 a Beech 15 " "  
80.00 Set post, Cor. to Sec. 10, 15 & 16, from which  
a Beech 28 mi. dist. by N76 E 20 l. m. dist. of  
a Do. 3 " " " N79 W 15 " "  
Sand level with, Beech, Ash, Poplar &c.  
underg<sup>th</sup> Spruce. Sept. 27<sup>th</sup>. 1819

---

East On Rand<sup>m</sup>. between Sec. 10 & 15  
40.00 Set q. Sec. post, from which  
79.08 Intersected the N & S. line 150 l. m. S. of post  
Sand level 2<sup>nd</sup> rate, Beech, Ash, Poplar &c.  
underg<sup>th</sup> Spruce &c.

---

West Corrected between Sec. 10 & 15  
39.54 Set q. Sec. post, at average dist. from which  
a Beech 6 mi. dist. by N35 E 10 l. m. dist. of  
a Do. 2 " " " S32 W 4 " "  
79.08 to Sec. Corner.

---

North Between Sec. 9 & 10  
9.40 an Elm 24 mi. dist.  
40.00 Set q. Sec. post, from which  
a Beech 5 mi. dist. by N18 E 11 l. m. dist. of  
a Do. 18 " " " N25 E 4 " "  
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which



148 No. N 18 E. 2<sup>d</sup>. Mer. Indiana

ch. 1/4  
at Walnut 20 mi. dist. from SE 25 th. dist. of  
an Elm 2 " " N 35 W 10 " "  
Land level 2<sup>d</sup>. rate, Beech, Ash &c.  
underg<sup>th</sup>. Spruce &c.

---

East On Rand<sup>m</sup>. between Sec. 3 & 10

40.00 Set temp<sup>y</sup>. of Sec. post

79.08 Intersected the N & S. line 200 th. S. of post  
Land level 2<sup>d</sup>. rate, timber Ash, Beech, Poplar  
&c. underg<sup>th</sup>. Spruce

---

West Connected between Sec. 3 & 10

39.54 Set of Sec. post at average dist. from which  
at Beech 30 mi. dist. from 179 E 3 th. dist. of  
a No. 28 " " " N 39 W 35 " "

79.08 to Sec. Corner.

---

North Between Sec. 3 & 4

3.00 at Beech 15 mi. dist.

40.00 Set of Sec. post, from which  
at Engle 3 mi. dist. from N 85 W 5 th. dist. of  
at Beech 12 " " " N 29 E 11 " "

43.00 a creek 50 th. wide Cr. S 80 W. Current rapid & a perpen-

44.00 a No 50 " " " S. E. Current moderate

75.60 a No 50 " " " N 47 W Current moderate

84.00 Intersected the N. boundary 80 th. W. of post

Set post Cor. to Sec. 3 & 4, from which

at Beech 24 mi. dist. from S 53 W 15 th. dist. of

a No 6 " " " N 89 W 20 " "

First 1/2 level 2<sup>d</sup>. rate - last 1/2 fully 2<sup>d</sup>. rate  
Beech, Poplar, Ash, &c. underg<sup>th</sup>. Spruce

September 28<sup>th</sup>, 1819

---

North Between Sec. 32 & 33

0.20 at Branch 20 th. wide Corner S 10 W moderate C.

9.00 an Elm 30 mi. dist.

# Post R8E. 2<sup>d</sup>. Mer. Indiana

149

ch<sup>2</sup> 1/2 m  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 4 mi. dist. bray N30°W 8 1/2 km. dist. of  
a No. 18 " " " N78°E 6 " .

64.59 a Beech 8 " "

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which  
a Beech 12 mi. dist. bray N11°W 6 km. dist. of  
an Ash 12 " " " S32°E 14 " "  
First 1/2 mile hilly - last 1/2 level all 2<sup>d</sup>. rate  
Ash, Beech, Sugar etc. underg<sup>th</sup>. Spruce

East On Rand<sup>m</sup>. between Secs. 28 & 33

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

47.60 a creek 15 km. wide Course S.W. Current (moderate)

80.46 Intersected the N & S. line 150 km. S. of post  
Land hilly 3<sup>d</sup>. rate, Beech, Ash etc. underg<sup>th</sup>. Spruce

West Connected between Secs. 28 & 33

40.23 Set q<sup>r</sup>. Sec post at average dist. from which  
a Sugar 8 mi. dist. bray S76°E 20 km. dist. of  
a No. 6 " " " S86°W 12 " .

80.46 to Sec. Corner.

North Between Secs. 28 & 29

7.00 an Ash 28 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 mi. dist. bray N81°W 4 km. dist. of  
a Poplar 40 " " " N29°W 4 " .

47.50 a Beech 19 " "

80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which  
a Beech 7 mi. dist. bray N81°W 10 km. dist. of  
a No. 15 " " " S67°E 12 " "  
Land level 2<sup>d</sup>. rate, Beech, Ash, Poplar etc.  
underg<sup>th</sup>. Spruce etc.

East On Rand<sup>m</sup>. between Secs. 21 & 28

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

150 N. N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. l. by  
81.00 Intersected the N & S. line 114 lns. S. of post  
First 1/2 mile level 2<sup>nd</sup> rate - last 1/2 mile 3<sup>rd</sup> rate  
Beech, Poplar, Sugar, W. Oak, and g. Spruce

---

West Corrected Between Sec. 21 & 28  
40.50 Set g. Sec. post at average dist. from which  
a Maple 6 in. dia. bray N 20 E 5 lns. dist. of  
an Ash 4 " " " S 17 E 12 " "  
81.00 to Sec. Corner.

---

North Between Sec. 20 & 21  
8.00 a W. Oak 48 in. dia.  
40.00 Set g. Sec. post, from which  
a Beech 35 in. dia. bray S 85 E 8 lns. dist. of  
a do. 5 " " " S 70 E 20 " "  
80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
an Oak 5 in. dia. bray N 25 W 7 lns. dist. of  
a Beech 30 " " " S 26 E 30 " "  
Sand level 2<sup>nd</sup> rate, Oak, Beech, Sugar &c.  
underg<sup>th</sup>. Spruce.

---

East On Rand<sup>m</sup>. Between Sec. 16 & 21  
40.00 Set temp. g. Sec. post  
80.10 Intersected the N & S. line 105 lns. S. of post  
Sand level 2<sup>nd</sup> rate, Beech, Ash, Poplar &c.  
underg<sup>th</sup>. Spruce

---

West Corrected between Sec. 16 & 21  
40.05 Set g. Sec. post at average dist. from which  
a Beech 20 in. dia. bray S 4 E 6 lns. dist. of  
a do. 12 " " " S 27 E 10 " "  
80.10 to Sec. Corner.

---

North Between Sec. 16 & 17  
4.50 a Poplar 36 in. dia.  
40.00 Set g. Sec. post, from which

T. 10. N. R. 8 E. 2<sup>d</sup>. Mer. Indiana 151

ch. 1<sup>st</sup> ch.

at Beech 10 in. dia. bray N 29 E 30 lbs. dist. of  
 a Hickory 6 " " " N 39 W 5 " "  
 45.75 a Poplar 38 " "  
 80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Beech 20 in. dia. bray N 53 W 10 lbs. dist. of  
 a Do. 12 " " " N 75 E 25 " "  
 Land level 2<sup>d</sup> rate, Beech, Poplar, Ash &c.  
 underg<sup>th</sup> Spruce &c.

---

East On Land<sup>m</sup>. between Sec. 9 & 16

40.00 Set temp<sup>y</sup>. of Sec. post  
 79.50 Intersected the N. of S. line 65 lbs. S. of post  
 Land level 2<sup>d</sup> rate, Beech, Ash, Poplar &c.  
 underg<sup>th</sup> Spruce &c.

---

West Cornetted between Sec. 9 & 16

39.75 Set of Sec. post at average dist. from which  
 a Beech 17 in. dia. bray N 47 E 15 lbs. dist. of  
 a Do. 24 " " " N 75 W 18 " "  
 79.50 to Sec. Corner September 29<sup>th</sup> 1819

---

North Between Sec. 8 & 9

5.10 a Beech 3 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 7 in. dia. bray N 49 W 11 lbs. dist. of  
 a Sugar 6 " " " N 24 E 8 " "  
 50.00 a W. Oak 24 " "  
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Beech 30 in. dia. bray N 80 E 12 lbs. dist. of  
 a Do. 6 " " " N 81 W 20 " "  
 Land level 2<sup>d</sup> rate, Beech, Ash, Poplar &c.  
 underg<sup>th</sup> Spruce &c.

---

East On Land<sup>m</sup>. between Sec. 4 & 9

40.00 Set temp<sup>y</sup>. of Sec. post  
 79.65 Intersected the N. of S. line 33 lbs. S. of post.



152

M. N. R & E. 2<sup>d</sup> Mer. Indiana

ch. l. by

Land level first 1/2 1<sup>st</sup> rate - last 1/2 2<sup>d</sup> rate  
timber Ash, Sugar, Beech &c. underg<sup>th</sup> Spice

West Connected between Sec. 4 & 9  
39.82 Set q. Sec. post at average dist. from which  
a Beech 6 in. dia. - bray S 68° W 6 lms. dist. of  
a do. 20 " " " S 55° E 20 " "  
79.65 to Sec. Corner.

North Between Sec 4 &amp; 5

18.00 a Buckeye 7 in. dia.

20.75 a Creek 60 lms. wide O. S. W. Current rapid

40.00 Set q. Sec. post, from which

a Beech 5 in. dia. - bray S 43° W 14 lms. dist. of

a do. 28 " " " N 32° W 16 " "

44.00 a Poplar 48 " "

83.00 Intersected the N. boundary 95 lms. E. of post

Set post Cor. to Sec. 4 &amp; 5, from which

an Ash 30 in. dia. - bray N 12° E 15 lms. dist. of

a Beech 4 " " " N 79° W 4 " "

Land level 2<sup>d</sup> rate Beech, Ash, Poplar &c.  
underg<sup>th</sup> Spice

North Between Sec. 31 &amp; 32

13.70 an Elm 28 in. dia.

40.00 Set q. Sec. post, from which

a Beech 6 in. dia. - bray S 28° W 5 lms. dist. of

a do. 5 " " " N 34° E 25 " "

61.00 a Sugar 8 in. dia.

80.00 Set post Cor. to Sec. 29, 30, 31 &amp; 32, from which

a Beech 4 in. dia. - bray N 79° E 14 lms. dist. of

a do. 14 " " " N 60° W 12 " "

Land, timber &amp;c. same as on the last mile

East On Rand. between Sec. 29 &amp; 32

40.00 Set temp. q. Sec. post

153

To N. R & E. 2<sup>d</sup>. Mer. Indiana  
ch. l. by  
79.18 Intersected the N & S. line 55 l. by. S. of post  
Sand timber &c. same as on the last mile

---

West Connected between Sec. 29 & 32  
39.59 Set of Sec. post at average dist. from which  
a Beech 18 m. dia. bray N 62 E 5 l. dist. of  
a do. 20 " " " N 3 W 14 " "  
79.18 to Sec. Corner. Sept. 30. 1819

---

West Between Sec. 30 & 31  
4.16 a Beech 15 m. dia.  
40.00 Set of Sec. post, from which  
a Gum 14 m. dia. bray N 16 W 10 l. dist. of  
a Beech 6 " " " S 2 E 20 " "  
50.70 a do. 20 " "  
74.73 Intersected W. boundary 63 l. N. of post  
Set post Cor. to Sec. 30 & 31, from which  
a Beech 6 m. dia. bray S 5 W 5 l. dist. of  
a Sugar 4 " " " N 5 E 7 " "  
Land level 2<sup>d</sup>. rate Ash, Beech, Poplar &c.  
under 7<sup>th</sup>. Spruce &c.

---

North Between Sec. 29 & 30  
21.65 a Beech 15 m. dia.  
40.00 Set of Sec. post, from which  
a Beech 30 m. dia. bray N 53 W 10 l. dist. of  
a do. 8 " " " S 66 W 15 " "  
50.15 a Beech 12 " "  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Sugar 5 m. dia. bray S 16 E 5 l. dist. of  
an Ash 12 " " " N 43 W 15 " "  
Land timber &c. same as on the last mile

---

East On Rand. between Sec. 20 & 29  
40.00 Set temp. of Sec. post  
78.50 Intersected the N & S. 76 l. S. of post.

154 Post R & E. 2<sup>d</sup>. Mer. Indiana  
ch. 2<sup>d</sup> l<sup>th</sup> Land level 2<sup>d</sup> rate Ash, Beech, Poplar  
Sugar &c. running 1<sup>st</sup> price

---

West Corrected between Sec. 20 & 29  
39.25 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 6 mi. dist. by N 61 W 25 l<sup>th</sup>. dist. of  
a W. Beech 3 " " " N 61 E 5 " "  
78.50 to Sec. Corner.

---

West Between Sec. 19 & 30  
9.00 at Beech 30 mi. dist.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 30 mi. dist. by N 48 E 7 l<sup>th</sup>. dist. of  
a Do. 10 " " " N 64 W 12 " "  
50.50 a Do. 15 " "  
74.20 Intersected N. boundary 24 l<sup>th</sup>. S. of post  
Set post Cor. to Sec. 19 & 30, from which  
a Beech 18 mi. dist. by N 46 W 8 l<sup>th</sup>. dist. of  
a Do. 5 " " " N 12 W 13 " "  
Sand timber &c. same as on the last mile

---

North Between Sec. 19 & 20  
7.00 at Beech 30 mi. dist.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 24 mi. dist. by S 75 E 4 l<sup>th</sup>. dist. of  
a Do. 30 " " " N 23 W 5 " "  
43.00 a Do. 12 " "  
57.25 a Spring Course S 33 W  
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a Poplar 60 mi. dist. by N 22 E 4 l<sup>th</sup>. dist. of  
a Beech 4 " " " S 72 E 5 " "  
First 1/2 mile level 2<sup>d</sup> rate land last 1/2 mile  
level 1<sup>st</sup> rate, Beech, Ash, Poplar &c. running 1<sup>st</sup> price

---

East On Rand<sup>m</sup>. between Sec. 17 & 20  
40.00 Set stump q<sup>r</sup>. Sec. post

# W. N. R & E. 2<sup>d</sup>. Mer. Indiana

155

ch. 2<sup>th</sup>

78.10 Intersected the N & S line 79<sup>th</sup> m. S. of post  
 Sand level 1<sup>st</sup> rate, Beech, Poplar, Ash &c.  
 undery<sup>th</sup> Spruce.

---

West Corrupted between Sec. 17 & 20  
 39.05 Set q. Sec. post at average dist. from which  
 a Sugar 15 m. dia. bran N 60° W 10<sup>th</sup> m. dist. of  
 a Beech 10 " " " S 9 E 14 " "  
 78.10 to Sec. Corner

---

West Between Sec. 18 & 19

8.60 a Beech 24 m. dia.  
 40.00 Set q. Sec. post, from which  
 a Sugar 5 m. dia. bran S 10° W 10<sup>th</sup> m. dist. of  
 a W. Beech 3 " " " N 24 E 3 " "  
 42.25 a Beech 20 " "  
 72.00 a Creek 80<sup>th</sup> m. wide Cr. S. W. Current rapid  
 73.50 Intersected W. boundary 10<sup>th</sup> m. S. of post  
 Set post Cor. to Sec. 18 & 19, from which  
 a Hickory 15 m. dia. bran S 45 E 10<sup>th</sup> m. dist. of  
 a Beech 3 " " " N 7° W 8 " "  
 Sand level rich, Beech, Ash, Poplar, Sugar  
 &c. undery<sup>th</sup> Spruce, October 1<sup>st</sup> 1819.

---

North Between Sec. 17 & 18

9.50 an Ash 30 m. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 5 m. dia. bran S 49 E 3<sup>th</sup> m. dist. of  
 a do. 3 " " " N 59° W 10 " "  
 44.50 a Poplar 48 " "  
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 5 m. dia. bran N 37 E 5<sup>th</sup> m. dist. of  
 a do. 6 " " " S 45° W 15 " "  
 Land rolling 2<sup>nd</sup> rate, Beech, Poplar, Ash,  
 Sugar &c. undery<sup>th</sup> Spruce

---



## M. N. R. &amp; E. S. Mer. Indiana

ch. 2<sup>th</sup>East On Rand<sup>m</sup>. between Sec. 8 & 1740.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post78.75 Intersected the N & S. line 150 l<sup>th</sup>s. S. of post,  
Land level 2<sup>d</sup> rate, Poplar, Ash, W. Oak, Beech,  
underg<sup>th</sup>. Spruce.

West Corrected between Sec. 8 &amp; 17

39.37 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Hickory 7 m. dist. from 50 N 2 l<sup>th</sup>s. dist. of  
a Beech 6 " " " N 36 E 25 " "

78.75 to Sec. Corner.

West Between Sec. 7 &amp; 18

6.00 a Beech 15 m. dist.

28.50 a Creek 125 l<sup>th</sup>s. wide at S. rapid40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 m. dist. from S 26 E 15 l<sup>th</sup>s. dist. of  
a Sugar 28 " " " N 17 W 18 " "

49.00 an Elm 15 " "

74.00 Intersected W. boundary 180 l<sup>th</sup>s. S. of post  
Set post Cor. to Sec. 7 & 18, from which  
a Beech 24 m. dist. from N 32 W 4 l<sup>th</sup>s. dist. of  
a Do. 8 " " " S 34 W 12  
Land rolling 2<sup>d</sup> rate, Ash, Beech, Sugar, &  
Poplar, underg<sup>th</sup>. Spruce.

North Between Sec. 7 &amp; 8.

5.70 a Beech 10 m. dist.

37.50 a Creek 5 l<sup>th</sup>s. wide Course S. W. Current rapid40.00 Set q<sup>r</sup>. Sec. post from which  
an Elm 5 m. dist. from S 44 W 6 l<sup>th</sup>s. dist. of  
a Beech 30 " " " N 8 E 10 " "

52.15 a Beech 15 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 11 m. dist. from N 58 E 6 l<sup>th</sup>s. dist. of  
a Do. 10 " " " N 34 W 20 " "

157

Mon R & E. 2<sup>nd</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/4  
Land rolling 2<sup>nd</sup> Rate, Poplar, Beech, Sugar  
Ash, underg<sup>th</sup> Spruce

---

East On Road<sup>m</sup> between 5 & 8  
25.00 a Creek 100 yds. wide Course S. rapid  
40.00 Let temp<sup>ly</sup>. of Sec. post  
78.00 Intersected the N & S. line 130 yds. S. of post  
Land timber &c. same as on the last Mile

---

West Corrected between Sec. 5 & 8  
39.00 Let of Sec. post, at average dist. from which  
a Beech 10 mi. dist. bears 141 W 7 yds. dist. of  
a Sugar 6 " " " 160 E 20 " "  
78.00 to Sec. Corner.

---

West Corrected between Sec. 6 & 7  
6.62 a Sugar 10 mi. dist.  
40.00 Let of Sec. post, from which  
a Beech 30 mi. dist. bears N 88 W 5 yds. dist  
a P — 5 " " " 177 E 5 " "  
72.38 Intersected N. boundary 271 yds. S. of post  
Let post Cor. to Sec. 6 & 7, from which  
a Beech 4 mi. dist. bears N 56 E 11 yds. dist. of  
an Ash 8 " " " 11 W 5 " "  
Land level 2<sup>nd</sup> Rate, Beech, Sugar, Ash & Poplar  
underg<sup>th</sup> Spruce.

---

North Return Sec. 5 & 6  
3.05 an Ash 15 mi. dist.  
40.00 Let of Sec. post, from which  
a Beech 8 mi. dist. bears N 58 W 5 yds. dist. of  
a do. 28 " " " 163 E 10 " "  
86.00 Intersected N. boundary 450 yds. E. of post  
Let post Cor. to Sec. 5 & 6, from which  
a Beech 10 mi. dist. bears 272 W 3 yds. dist. of  
a do. 12 " " " 138 E 10 " "

Sh. N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. the

Sand level rich, timber Oak, B. Walnut, Sugar  
Beech, Poplar &c. Under 1<sup>st</sup> Spruce.

October 2<sup>nd</sup> 1819

Surveyed By Basil Bently,  
Deputy Surveyor

Comp<sup>d</sup>.

I Certify, that the foregoing transcript, of field  
notes of Township N. 10. W. 4. Range N. 8. E. 2<sup>nd</sup> Mer.  
Indiana, has been compared with the original  
notes in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Sept. 29<sup>th</sup> 1842

William Johnston  
Sur. Genl.